

**MASTER LABEL**

**SUBLABEL A**

[ ] indicates optional wording

**ZOECON RF-330 ALTOSID® PELLETS**  
**MOSQUITO GROWTH REGULATOR**

A Granular Product to Prevent Adult Mosquito Emergence  
(including those which may transmit West Nile virus)  
[Prevents Nuisance Midge [Filter Fly] Emergence]  
[Controls waste water nuisance pests][filter flies]

**ACTIVE INGREDIENT:**

(S)-Methoprene (CAS #65733-16-6) .....4.25%

**OTHER INGREDIENTS:** .....95.75%

Total .....100.00%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**See back panel [below] for additional Precautionary Statements**

EPA Reg. No. 2724-448

EPA Est. No.

Best if used by:

**Lot No.**

**NET WEIGHT: 8 and 22 lbs.**

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION**

Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

<b>FIRST AID</b>	
Call a poison control center or doctor for treatment advice.	
If in eyes	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li></ul>
If on skin or clothing	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li></ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-[phone number] for emergency medical treatment information.	

[Note: First Aid statement paragraph format may be used if space is limited.]

**ENVIRONMENTAL HAZARDS:** Do not contaminate water when disposing of rinsate or equipment washwaters.

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**INTRODUCTION:** ALTOSID® Pellets release ALTOSID®, an Insect Growth Regulator as they erode. ALTOSID Pellets prevent the emergence of adult standing water mosquitoes, including *Anopheles*, *Culex*, *Culiseta*, *Coquillettidia*, and *Mansonia* spp., as well as adults of the floodwater mosquitoes such as *Aedes*, *Ochlerotatus*, and *Psorophora* spp. from treated sites. ALTOSID Pellets also control nuisance midge larvae.

**[INTRODUCTION:** ALTOSID® Pellets are a unique product that control filter flies (*Psychoda* spp.), midges (*Chironomidae*), and other nuisance aquatic insect species infesting waste water facilities. ALTOSID Pellets contain an Insect Growth Regulator (IGR) that is effective on the developing stages of insect pests. ALTOSID Pellets do not kill adults but affects the larval stages as they grow and develop. ALTOSID Pellets stop the formation of pupae of insect pests, thereby eliminating adult populations. ALTOSID Pellets stop the cycle of reproduction, keeping pest infestations under control. Continued use of the product prevents these pests from rebounding into unmanageable infestations.]

**GENERAL DIRECTIONS:** ALTOSID Pellets release effective levels of ALTOSID Insect Growth Regulator for up to 30 days under typical environmental conditions. Continue treatment through the last brood of the season. Treated larvae continue to develop normally to the pupal stage where they die.

**NOTE:** This insect growth regulator has no effect on mosquitoes [midges][filter flies] which have reached the pupal or adult stage prior to treatment.

**APPLICATION SITES AND RATES:**

Use lower application rates when water is shallow, vegetation and/or pollution are minimal, and insect populations are low. Use higher rates when water is deep (>2 ft), vegetation, pollution, and/or organic debris or water flow are high, and insect populations are high. [In instances of high organic debris and water flow, residual activity may be diminished.]

**MOSQUITO HABITAT**

**RATES (Lb/Acre)**

**FLOODWATER SITES**

Pastures, meadows, rice fields,  
freshwater swamps and marshes, salt and  
tidal marshes, cattail marshes, woodland pools,  
floodplains, tires, other artificial water-holding containers

2.5-5

Dredging spoil sites, waste treatment and settling  
ponds, ditches and other manmade depressions

5-10

**PERMANENT WATER SITES**

Ornamental ponds and fountains, fish ponds,  
cattail marshes, water hyacinth beds, flooded crypts,  
transformer vaults, abandoned swimming pools,  
construction and other manmade depressions,  
treeholes, other artificial water-holding containers

2.5-5

Storm drains, catch basins, roadside ditches,  
cesspools, septic tanks, waste settling ponds,  
vegetation-choked phosphate pits

5-10

**MIDGE HABITAT**

**RATES (Lb/Acre)**

Midge larvae occur in natural and manmade aquatic  
habitats, both permanent and temporary. Examples  
of these include ditches, streams and ponds, and  
natural and manmade lakes. Apply pellets uniformly  
to the water surface. Repeat application as necessary.

5-10

**FILTER FLY HABITAT**

**RATES (Lb/Acre)**

Filter flies and midges are waste water treatment pests inhabiting  
sludge drying beds, clarifiers, holding tanks or ponds,  
sewage lagoons, evisceration ponds, paper or food waste  
ponds, stagnant or standing water, or other areas of waste  
water treatment facilities where midges, filter flies, and other  
nuisance aquatic insect pests are a problem.

5-10



## **APPLICATION METHODS**

**Mosquitoes/Midges:** Apply ALTOSID Pellets up to 15 days prior to flooding, or at any stage of larval development after flooding or in permanent water sites. Fixed wing aircraft or helicopters equipped with granular spreaders capable of applying rates from 2.5 to 10 lb/acre may be used to apply ALTOSID Pellets. The pellets may also be applied using ground equipment which will achieve good, even coverage at the above rates. Apply ALTOSID Pellets to artificial containers such as tires and catch basins, etc.

**[Waste Water Nuisance Pests:** For applications to solid waste, including sludge and retention ponds, use the initial high rate of 10 lb/acre. Immediately following filling of the drying beds, apply the product uniformly to the surface of the bed. Application of ALTOSID Pellets to solids will prevent the emergence of adult insect pests thereby keeping infestations under control.

For applications in aquatic habitats, including waste water treatment facilities, evisceration ponds, sewage lagoons, manure runoff areas, retention ponds, and holding tanks, apply ALTOSID Pellets as uniformly as possible over the entire surface. In situations where the ponds are large, applications made around the perimeter of the ponds can be helpful in reducing pests. In these situations, apply up to a 20 foot band out from the bank around the pond perimeter.

Apply ALTOSID Pellets using suitable application equipment, such as, hand or motorized spreaders, backpack blowers, or aircraft (rotary or fixed wing). Even coverage over the surface of the area to be treated is critical for optimum performance.

**What to Expect in Waste Water Facilities:** Following initial applications of ALTOSID Pellets, a gradual reduction in the number of adult pests will be seen over approximately a 1 week period. Reduction in adult populations will be noticeable within a 2 week period following the application. Due to varying conditions or heavy infestations, the period to expect control may be longer. Since the mode of action of ALTOSID Pellets is to prevent adult emergence, existing adults and pupae present at the time of initial application will complete their life cycle.]

**STORAGE AND DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal. Store closed containers of ALTOSID Pellets in a cool dry place. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**WARRANTY AND CONDITIONS OF SALE:** Seller makes no warranty, express or implied, concerning the use and handling of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

For information or in case of an emergency, call [phone number] or visit our Web site [URL].

ALTOSID® Pellets and ALTOSID® Insect Growth Regulator are registered trademarks of Wellmark International.

Wellmark International  
Schaumburg IL 60173

Made in USA

## **SUBLABEL B**

**For alternate brand name:  
ZOËCON® ALTOSID® PELLETS WSP**

[ ] indicates optional wording

**ZOECON RF-330 ALTOSID® PELLETS**  
**MOSQUITO GROWTH REGULATOR**

A Granular Product to Prevent Adult Mosquito Emergence  
(including those which may transmit West Nile virus)

Ideal when treating hard-to-reach stormwater sites  
Ready-to-use water soluble pouches  
A single WSP covers up to 135 ft<sup>2</sup> of water surface area

**ACTIVE INGREDIENT:**

(S)-Methoprene (CAS #65733-16-6) .....4.25%

**OTHER INGREDIENTS:**.....95.75%

Total .....100.00%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**See back panel [below] for additional Precautionary Statements**

EPA Reg. No. 2724-448

EPA Est. No.

Best if used by:

**Lot No.**

NET WEIGHT: 50/7 gram water soluble pouches (.77 lb)



**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

<b>FIRST AID</b>	
Call a poison control center or doctor for treatment advice.	
If in eyes	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li></ul>
If on skin or clothing	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li></ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-[phone number] for emergency medical treatment information.	

[Note: First Aid statement paragraph format may be used if space is limited.]

**ENVIRONMENTAL HAZARDS:** Do not contaminate water when disposing of rinsate or equipment washwaters.

**(WSP) DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**INTRODUCTION:** ALTOSID® Pellets release ALTOSID®, an Insect Growth Regulator as they erode. ALTOSID Pellets prevent the emergence of adult standing water mosquitoes, including *Anopheles*, *Culex*, *Culiseta*, *Coquillettidia*, and *Mansonia* spp., as well as adults of the floodwater mosquitoes such as *Aedes*, *Ochlerotatus*, and *Psorophora* spp. from treated sites.

**[INTRODUCTION:** ALTOSID Pellets contain an Insect Growth Regulator (IGR) that is effective on the developing stages of insect pests. ALTOSID Pellets do not kill adults but affects the larval stages as they grow and develop. ALTOSID Pellets stop the formation of pupae of insect pests, thereby eliminating adult populations. ALTOSID Pellets stop the cycle of reproduction, keeping pest infestations under control. Continued use of the product prevents these pests from rebounding into unmanageable infestations.]

**GENERAL DIRECTIONS:** ALTOSID Pellets release effective levels of ALTOSID Insect Growth Regulator for up to 30 days under typical environmental conditions. Continue treatment through the last brood of the season. Treated larvae continue to develop normally to the pupal stage where they die.

**NOTE:** This insect growth regulator has no effect on mosquitoes which have reached the pupal or adult stage prior to treatment.

ALTOSID Pellets WSP are convenient ready-to-use pouches for treating mosquito breeding sites. The pouches are water-sensitive and when in contact with water, the pouches dissolve, releasing the pellets. Use care when handling unused pouches so that moisture does not collect on the pouches. Keep pouches sealed in the original package until ready for use. Once outer foil bag containing water soluble pouches is opened, use pouches within one day.

**APPLICATION SITES:**

Altosid Pellets WSP are effective against *Anopheles*, *Culex*, *Culiseta*, *Aedes*, *Ochlerotatus*, *Coquillettidia*, *Mansonia* and *Psorophora* mosquito species. Use pouches to treat small bodies of water such as: catch basins, storm drains, roadside ditches, tree holes, flooded crypts, transformer pits, fish ponds, woodland pools, fountains, septic tanks, ornamental ponds, manmade depressions, animal watering troughs, ditches, and other natural or artificial water-holding containers.

**APPLICATION RATE:**

Place one pouch into each catch basin. For other mosquito breeding sites, one pouch will treat up to 135 ft<sup>2</sup> of surface area. Altosid Pellets WSP will provide up to 30 days control of emerging adult mosquitoes.

**STORAGE AND DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal. **Storage:** Store closed containers of ALTOSID Pellets in a cool, dry place. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Disposal: Outer Foil Packets of Water Soluble Pouches:** Dispose of empty outer foil bag in the trash.

**WARRANTY AND CONDITIONS OF SALE:** Seller makes no warranty, expressed or implied, concerning the use and handling of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

For information or in case of an emergency, call [phone number] or visit our Web site [URL].

ALTOSID® and ZOËCON® are registered trademarks of Wellmark International.

Wellmark International  
Schaumburg IL 60173

Made in USA